







Changzhou Zhengfeng New Material Technology Co., Itd is a professional manufacturer of laminate and SPC floorings. Our factory covers and area of 50,000 square meters, operates several German-made production lines. We pay high attention on the product quality. Professional quality control and inspection procedures at every stage ensure that our products comply with the European Standard EN13329, ISO9001 and ISO14001 environmental standard.

We are focus on the deign and innovation of floor products. The short delivery lead time and competitive products promote us to get the high speed of business growth in our industry.

#### **OUR CERTIFICATION**




























Our SPC flooring is densely constructed to give long time stable and durable performance







#### 3.5mm,4.

3.5mm,4.0mm,4.5mm,5.0mm,6.0mm;


#### Wearlayer

**Thickness** 

0.2mm, 0.3mm, 0.5mm;

#### **UV-coating**

Item	SPC FLOOR (RIGID CORE LVT)	Regular LVT	WPC FLOORING
Rigid core for click with easy & fast installation	٧	×	٧
Pre-attached underlayment(EVA/IXPE)	٧	٧	٧
Suitable for small imperfections under floor	٧	×	٧
Little under floor preparation required	٧	×	٧
Stable in high temperature environment	٧	×	×
Install on big area without T-mouldings for transition	٧	٧	٧
Stable in rooms with sun lights	٧	×	٧
Perfect sound absorbent	٧	٧	٧
Waterproof, install in bathroom & laundry room	٧	٧	٧
Core with free of plasticizers	٧	×	×
Core with free of formaldehyde	٧	٧	٧
Indentations & Impact resistance	٧	×	×
Easy to install with click system	٧	×	٧





1220×152mm(48"×6")



1220×184mm(48"×7.25")



1520×232mm(60"×9")



# SPC FLOOR **TEXTURE**













# **CLASSIC**SERIES

The modern choice for beautiful and durable floors.

Give you a feeling of soft and warm, amplify your comfort.

Wide variety of patterns and colors for your picking.











## **CLASSIC** SERIES







▲ 534-4

**▲** 1206

**▲** 1228







**▲** 1270

**▲** 1271

**▲** 1273









#### **OAK** SERIES







▲ 369-6

▲ 526-2

**▲** 1722







**2429-6** 

**▲** 2429-8

▲ 3012-5









#### **OAK** SERIES









▲ 8809-08

**▲** 8820-1







**▲** 8820-7

**▲**8833-1

**▲** 8833-2









## **SPOTTED GUM** SERIES











# **EIR**SERIES

SYNCHRONIZED TEXTURE TECHNOLOGY WITH STEEL MOLD PRESSING FOR EIR SURFACE, IT BRINGS REAL WOODEN FEELING FOR CONSUMERS













## **EIR** SERIES
















## HERRINGBONE SERIES

THE COLOR COLLECTION IS SUITABLE FOR THE HERRINGBONE TO GIVE YOU A DIFFERENT VISUAL EXPERIENCE.













#### **HERRINGBONE** SERIES















# SPC MARBLE STONE SERIES

VARIOUS STONE PRINT DESIGNS FROM MIXSPACE BRINGS
YOU BEAUTY FOR HOME/OFFICE DECORATION














## **MARBLE STONE** SERIES







**▲** 213-4

**▲** 236-4

▲ 803













#### **MARBLE STONE** SERIES







**▲**818

▲ 89706-06

**▲** 89710-02





**▲** 89711-02

**▲** 6802-2









#### VINYL MOULDING



**FLUSH STAIR NOSE** 

SIZE:2400×72×25MM, 2400×115×25MM FLUSH STAIR NOSE CAN JOIN YOUR SPC FLOORING DIRECTLY WITH GROOVE SYSTEM



**OUARTER ROUND** 

SIZE:2400×28×16MM, 25PCS/CARTON OUARTER ROUNDS ARE USED TO CONCEAL. THE REQUIRED EXPANSION SPACE BETWEEN WALL AND FLOORING TO PERFORM A GOOD FINISHED LOOKING



**SKIRTING 90** 

SIZE: 2400\*90\*15MM,10PCS/CTN REDUCERS ARE USED TO TRANSIT FROM SPC. FLOORING TO FLOORS OF DIFFERENT HEIGHT



**SKIRTING 80** 

SIZE: 2400\*80\*15MM,10PCS/CTN REDUCERS ARE USED TO TRANSIT FROM SPC FLOORING TO FLOORS OF DIFFERENT HEIGHT



T-MOLDING

SIZE:2400×43×7MM,20PCS/CTN T-MOLDINGS ARE COMMONLY USED IN DOORWAYS TO JOIN TWO FLOORING WITH SAME LEVEL



**STAIR NOSE** 

SIZE:2400×54×18MM.10PCS/CTN THE OVERLAP STAIR NOSE GIVES YOUR STAIR STEPS A BEAUTIFUL FINISHING



REDUCER

SIZE:2400×43×10MM, 20PCS/CTN REDUCERS ARE USED TO TRANSIT FROM SPC FLOORING TO FLOORS OF DIFFERENT HEIGHT



**END MOLDING** 

SIZE:2400×35×10MM.20PCS/CTN END CAPS ARE USED TO TRANSIT FROM SPC FLOORING TO CARPET OR CERAMICS.



Annie@mixspacefloor.com

(iii): www.mixspacefloor.com

No.2 CuiGong Road, Henglin Town, Changzhou, Jiangsu

